Version 1.6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	HYDROFAN SUPER WHITE SILVER
Product code	:	LNHF0370

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Paints, varnishes and enamels
Chemical nature	:	Mono compound enamel - finish coat

1.3 Details of the supplier of the safety data sheet

Company	: Lechler SpA
	Via Cecilio 17
	22100 Como- CO-
Telephone	: +39031586111
Telefax	: +39031586206
E-mail address	: safety@lechler.eu
Responsible/issuing person	

1.4 Emergency telephone number

Tel. +39-031-586301 - This telephone number is available during office hours only. (8.00-18.00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH210 Safety data sheet available on request. EUH208 Contains: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)May produce an allergic reaction.

Version 1.6

Revision Date 27.04.2020

2.3 Other hazards

None known.

The information required is contained in this Material Safety Data Sheet.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Water pigmented dispersion

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
2-butoxyethanol	111-76-2 203-905-0 01-2119475108-36	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 10
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 (Acute M=100) (Chronic M=100)	>= 0,0002 - < 0,0015
Substances with a work	place exposure limit :		
aluminium powder (stabilised)	7429-90-5 231-072-3 01-2119529243-45	Flam. Sol. 1; H228 Note T	>= 1 - < 10
1-methoxy-2-propanol	107-98-2 203-539-1 01-2119457435-35	Flam. Liq. 3; H226 STOT SE 3; H336	>= 1 - < 10

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 When symptoms persist or in all cases of doubt seek medical advice. Never give anything by mouth to an unconscious person.
If inhaled	 Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial

Version 1.6	Revision Date 27.04.2020	Print Date 05.05.2020
	respiration. If unconscious, place in recovery posit advice.	ion and seek medical
In case of skin contact	 Take off all contaminated clothing imm Wash skin thoroughly with soap and w skin cleanser. Do NOT use solvents or thinners. Put shower on working place 	5
In case of eye contact	 Irrigate copiously with clean, fresh wath minutes, holding the eyelids apart. Seek medical advice. Put eye-washer on working place Remove contact lenses. 	er for at least 10
If swallowed	 If accidentally swallowed obtain immed Do NOT induce vomiting. Keep at rest. 	liate medical attention.
4.2 Most important symptoms and ef	fects, both acute and delayed	
Symptoms	: No information available.	
Risks	: No information available.	
4.3 Indication of any immediate med	ical attention and special treatment needed	L

Treatment : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine. Seek medical advice.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	 Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Keep containers and surroundings cool with water spray. 	
Unsuitable extinguishing media	: Do NOT use water jet.	
5.2 Special hazards arising from the substance or mixture		

firefighting	 will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
--------------	--

Version 1.6

Revision Date 27.04.2020

5.3 Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment.
	Ventilate the area.
	Refer to protective measures listed in sections 7 and 8.
	Material can create slippery conditions.

6.2 Environmental precautions

Environmental precautions	: Try to prevent the material from entering drains or water
	courses.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Clean with detergents. Avoid solvents. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thoroughly mix before using After using, store in a well-sealed container	Advice on safe handling	U U U
--	-------------------------	--------------

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	: Observe label precautions.
areas and containers	Containers which are opened must be carefully resealed and
	kept upright to prevent leakage.

Version 1.6		Revision Date 27.04.2020	Print Date 05.05.2020
		Store in accordance with the particular national Store between 5° an 35°C in a dry, well ver from source of heat, ignition and direct sunl No smoking. Electrical installations / working materials mathematicated the technological safety standards.	itilated place away ight.
Advice on common storage	:	Keep away from oxidizing agents and stron materials.	gly acid or alkaline
German storage class	:	10 Combustible liquids	
7.3 Specific end use(s)			
	:	This information is not available.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
2-	111-76-2	TWA	20 ppm	2000-06-16	2000/39/EC
butoxyethanol			98 mg/m3		
Further information	: skin: Ident	ifies the poss	sibility of significant up	take through the skinlr	ndicative
		STEL	50 ppm	2000-06-16	2000/39/EC
			246 mg/m3		
Further information	: skin: Ident	ifies the poss	sibility of significant up	take through the skinlr	ndicative
aluminium	7429-90-5	TWA		2013-03-01	ACGIH
(Stabilized			1 mg/m3		
powder)			-		
Further information	: Aluminium				
1-	107-98-2	TWA	100 ppm	2000-06-16	2000/39/EC
methoxypropa			375 mg/m3		
n-2-ol			_		
Further information	: skin: Ident	ifies the poss	sibility of significant up	take through the skinlr	ndicative
		STEL	150 ppm	2000-06-16	2000/39/EC
			568 mg/m3		
Further information	: skin: Ident	ifies the poss	sibility of significant up	take through the skinlr	ndicative

DNEL 1-methoxy-2-propanol

: End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 43,9 mg/m3

End Use: Consumers

Version 1.6	Revision Date 27.04.2020	Print Date 05.05.2020
	Exposure routes: Oral Potential health effects: Long-term syste Value: 78 mg/kg bw/day	emic effects
	End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term syste Value: 33 mg/kg bw/day	emic effects
	End Use: Workers Exposure routes: Inhalation Potential health effects: Short-term loca Value: 553,5 mg/m3	l effects
	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term syste Value: 369 mg/m3	emic effects
	End Use: Workers Exposure routes: Dermal Potential health effects: Long-term syste Value: 183 mg/kg bw/day	emic effects
PNEC		
1-methoxy-2-propanol	: Fresh water Value: 10 mg/l	
	Intermittent use/release Value: 100 mg/l	
	Marine water Value: 1 mg/l	
	Fresh water sediment Value: 52,3 mg/kg	
	Marine sediment Value: 5,2 mg/kg	
	Soil Value: 4,59 mg/kg	
	Sewage treatment plant Value: 100 mg/l	
8.2 Exposure controls		
Personal protective equipme	ent	
Deenington, much offer		

Respiratory protection : Apply technical measures to comply with the occupational exposure limits. This should be achieved by a good general extraction and -if

Version 1.6	Revision Date 27.04.2020	Print Date 05.05.2020
	practically feasible- by the use of a loca If the occupational exposure limits cann exceptional cases suitable respiratory e worn only for a short period of time. Respirator with combination filter for van 141)	ot be met, in quipment should be
Hand protection	 Latex gloves For prolonged or repeated contact use p Protective gloves complying with EN 37 Please observe the instructions regardin breakthrough time which are provided b gloves. Also take into consideration the conditions under which the product is us danger of cuts, abrasion, and the contact If used in solution, or mixed with other s conditions which differ from EN 374, con the CE approved gloves. Barrier creams may help to protect the they should however not be applied onco occurred. Skin should be washed after contact. Wash your hands and put on barrier creater 	4. ng permeability and by the supplier of the specific local sed, such as the ct time. substances, and under ntact the supplier of exposed areas of skin, se exposure has
Eye protection	: Chemical resistant goggles must be work Ensure that eyewash stations and safet the workstation location.	
Skin and body protection	: Skin should be washed after contact. Wear suitable protective clothing.	
Environmental exposure controls	S	
General advice	 Try to prevent the material from entering courses. If the product contaminates rivers and la respective authorities. 	-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Odour	:	solvent-like
Flash point	:	> 63 - 100 °C
Ignition temperature	:	not determined
Lower explosion limit	:	No data available
Upper explosion limit	:	No data available

Version 1.6	Revision Date 27.04.2020	Print Date 05.05.2020
Auto-ignition temperature	: Not applicable	
рН	: not determined	
Freezing point	: Not applicable	
Boiling point	: not determined	
Vapour pressure	: 1,00 hPa at 50 °C	
Density	: 1,0278 g/cm3	
Water solubility	: not determined	
Partition coefficient: n-	: No data available	
octanol/water Solubility in other solvents	: not determined	
Flow time	: 65 s 6 mm Method: ISO/DIN 2431 '84	
Relative vapour density	: Not applicable	
Evaporation rate	: not determined	
9.2 Other information		
Solids by weight	: 16,9 %	

Solids by weight	·	10,9 /0
Volatile organic compounds (VOC) content	:	7,73 %
Water content	:	75,36 %

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	 Our products were manufactured in compliance with safety standards to avoid decomposition and degrading under the defined conditions. Taking the product type into account, it is advisable to leave the product in its original packaging thus avoiding transferring
---------------------	--

Version 1.6	Revision Date 27.04.2020	Print Date 05.05.2020
	it.	
10.5 Incompatible materials		
Materials to avoid	: Keep away from oxidizing agents, str strongly acid materials in order to avo	
10.6 Hazardous decomposition	products	
Hazardous decomposition	: Carbon dioxide (CO2), carbon monox	kide (CO), oxides of

Hazardous decomposition products		nitrogen (NOx), dense black smoke.
Thermal decomposition	:	Not applicable

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product		
Acute oral toxicity	:	Acute toxicity estimate: > 2.000 mg/kg, Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l, 4 h, vapour, Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 2.000 mg/kg, Calculation method
Skin corrosion/irritation	:	Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin., The product may be absorbed through the skin.
Further information	:	The concentration of each substance should be borne in mind in assessing the toxicological effects deriving from the preparation.
<u>Components:</u>		
1-methoxy-2-propanol : Acute oral toxicity	:	LD50: 4.016 mg/kg, Rat
Acute inhalation toxicity	:	LC0: > 7000 ppm, 6 h, Rat, OECD Test Guideline 403
Acute dermal toxicity	:	LD50: > 2.000 mg/kg, Rat

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	:	Remarks: No data is available on the product itself.
5-Chloro-2-methyl-	:	100

Version 1.6

Revision Date 27.04.2020

: No data available

3(2H)isothiazolone mixt. with 2-Methyl-3(2H)isothiazolone

12.2	Persistence	and	degradability
------	-------------	-----	---------------

Biodegradability	: No data available
12.3 Bioaccumulative potential	

12.4 Mobility in soil

Bioaccumulation

Mobility	: No data available
MODIIILY	. NO Gala ava

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Additional ecological information	 The product contains dangerous substances for the environment (see chapter no 3). The concentration of each substance should be borne in mind in assessing the toxicological effects deriving from the preparation.
-----------------------------------	--

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The product should not be allowed to enter drains, water courses or the soil. Disposal together with normal waste is not allowed. Special disposal required according to local regulations.
Contaminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. The following Waste Codes are only suggestions: 150110*

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 Proper shipping name

ADR

Version 1.6

Revision Date 27.04.2020

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Not applicable

Version 1.6

Revision Date 27.04.2020

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
MAL-Code-Number	:	1-1 (1993) 277-m3 air/10 g
Storage class (TRGS 510)	:	10: Combustible liquids
Risk classification according to VbF	:	Flash Point > 55 °C up to 100 °C, at 15 °C not miscible with water
Water contaminating class (Germany)	:	slightly hazardous to water
(Germany)		Ordinance on facilities for handling substances that are hazardous to water (AwSV) Classification according to AwSV, Annex 1 (5.2)

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

15.2 Chemical safety assessment

No data is available on the product itself.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Version 1.6

Revision Date 27.04.2020

List of references

Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP)

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended). Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Key or legend to abbreviations and acronyms used in the safety data sheet

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO -International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.