Version 2.29

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	HYDROFAN BRILLIANT ORANGE
Product code	:	LNHF0221

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Paints, varnishes and enamels
Chemical nature	:	Mono compound enamel - finish coat

1.3 Details of the supplier of the safety data sheet

Company	: Lechler SpA
	Via Cecilio 17
	22100 Como- CO-
Telephone	: +39031586111
Telefax	: +39031586206
E-mail address	: safety@lechler.eu
Responsible/issuing person	

1.4 Emergency telephone number

Tel. +39-031-586301 - This telephone number is available during office hours only. (8.00-18.00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH210 Safety data sheet available on request. EUH208 Contains: 2-methylisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Version 2.29

Revision Date 28.04.2020

2.3 Other hazards

None known.

The information required is contained in this Material Safety Data Sheet.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Water pigmented dispersion

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
2-butoxyethanol	111-76-2 203-905-0 01-2119475108-36	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 1 - < 10
2-methylisothiazol- 3(2H)-one	2682-20-4 220-239-6	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 (Acute M=10) (Chronic M=1)	>= 0,0002 - < 0,0015
reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 (Acute M=100) (Chronic M=100)	>= 0,0002 - < 0,0015

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	: When symptoms persist or in all cases of doubt seek medic advice. Never give anything by mouth to an unconscious person.	al
If inhaled	: Remove to fresh air. Keep patient warm and at rest.	

Version 2.29	Revision Date 28.04.2020	Print Date 05.05.2020
	If breathing is irregular or stopped, ad respiration. If unconscious, place in recovery pos advice.	
In case of skin contact	 Take off all contaminated clothing important wash skin thoroughly with soap and skin cleanser. Do NOT use solvents or thinners. Put shower on working place 	
In case of eye contact	 Irrigate copiously with clean, fresh ware minutes, holding the eyelids apart. Seek medical advice. Put eye-washer on working place Remove contact lenses. 	ater for at least 10
If swallowed	 If accidentally swallowed obtain imme Do NOT induce vomiting. Keep at rest. 	ediate medical attention.
4.2 Most important symptoms and	l effects, both acute and delayed	
Symptoms	: No information available.	
Risks	: No information available.	
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment	: The first aid procedure should be est with the doctor responsible for indust	

SECTION 5: Firefighting measures

5.1 Extinguishing media

media

Suitable extinguishing media	 Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Keep containers and surroundings cool with water spray.
Unsuitable extinguishing	: Do NOT use water jet.

Seek medical advice.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting	 As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must
	Fire residues and contaminated fire extinguishing water must

Version 2.29	Revision Date 28.04.2020	Print Date 05.05.2020		
	be disposed of in accordance with local regu	lations.		
5.3 Advice for firefighters				
Special protective equipment : for firefighters	Wear self-contained breathing apparatus for necessary.	firefighting if		
SECTION 6: Accidental release	measures			
6.1 Personal precautions, protective ec	uipment and emergency procedures			
Personal precautions :	Use personal protective equipment. Ventilate the area. Refer to protective measures listed in section Material can create slippery conditions.	ns 7 and 8.		
6.2 Environmental precautions				
Environmental precautions :	Try to prevent the material from entering dra courses. If the product contaminates rivers and lakes respective authorities.			
6.3 Methods and materials for containment and cleaning up				

Methods for cleaning up : Clean with detergents. Avoid solvents. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Use only in area provided with appropriate exhaust ventilation. Avoid contact with skin, eyes and clothing.
	Smoking, eating and drinking should be prohibited in the
	application area.
	Avoid inhalation of vapour or mist.
	For personal protection see section 8.
	Thoroughly mix before using
	After using, store in a well-sealed container

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Observe label precautions.
areas and containers		Containers which are opened must be carefully resealed and

Version 2.29		Revision Date 28.04.2020	Print Date 05.05.2020
	S S fr N E	ept upright to prevent leakage. tore in accordance with the particular nation tore between 5° an 35°C in a dry, well venti om source of heat, ignition and direct sunlig o smoking. lectrical installations / working materials mu ne technological safety standards.	ilated place away ght.
Advice on common storage		eep away from oxidizing agents and strong aterials.	ly acid or alkaline
German storage class	: 10	0 Combustible liquids	
7.3 Specific end use(s)			
	: TI	his information is not available.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	C	AS-No.	Value	Control parameters	Update	Basis	
2-	1	11-76-2	TWA	20 ppm	2000-06-16	2000/39/EC	
butoxyethanol				98 mg/m3			
Further information	:	skin: Identifies the possibility of significant uptake through the skinIndicative					
			STEL	50 ppm 246 mg/m3	2000-06-16	2000/39/EC	
Further information	:	skin: Identi	fies the possi	bility of significant upta	ake through the skinIndic	ative	

8.2 Exposure controls

Personal protective equipment

Respiratory protection	 Apply technical measures to comply with the occupational exposure limits. This should be achieved by a good general extraction and -if practically feasible- by the use of a local exhaust ventilation. If the occupational exposure limits cannot be met, in exceptional cases suitable respiratory equipment should be worn only for a short period of time. Respirator with combination filter for vapour/particulate (EN 141)
Hand protection	 Latex gloves For prolonged or repeated contact use protective gloves. Protective gloves complying with EN 374. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the

Version 2.29	Revision Date 28.04.2020	Print Date 05.05.2020
	gloves. Also take into consideration t conditions under which the product is danger of cuts, abrasion, and the cor If used in solution, or mixed with othe conditions which differ from EN 374, the CE approved gloves. Barrier creams may help to protect th they should however not be applied of occurred. Skin should be washed after contact. Wash your hands and put on barrier	s used, such as the ntact time. er substances, and under contact the supplier of ne exposed areas of skin, once exposure has
Eye protection	: Chemical resistant goggles must be Ensure that eyewash stations and sa the workstation location.	
Skin and body protection	: Skin should be washed after contact. Wear suitable protective clothing.	
Environmental exposure contro	ls	
General advice	 Try to prevent the material from ente courses. If the product contaminates rivers an respective authorities. 	-

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Odour: solvent-likeFlash point: > 63 - 100 °CIgnition temperature: not determinedLower explosion limit: No data availableUpper explosion limit: No data availableAuto-ignition temperature: Not applicablepH: not determinedFreezing point: Not applicableBoiling point: not determinedVapour pressure: 1,000 hPa at 50 °CDensity: 1,0216 g/cm3	Appearance	: liquid
Ignition temperature: not determinedLower explosion limit: No data availableUpper explosion limit: No data availableAuto-ignition temperature: Not applicablepH: not determinedFreezing point: Not applicableBoiling point: not determinedVapour pressure: 1,000 hPa at 50 °C	Odour	: solvent-like
Lower explosion limit:No data availableUpper explosion limit:No data availableAuto-ignition temperature:Not applicablepH:not determinedFreezing point:Not applicableBoiling point:not determinedVapour pressure:1,000 hPa at 50 °C	Flash point	: > 63 - 100 °C
Upper explosion limit: No data availableAuto-ignition temperature: Not applicablepH: not determinedFreezing point: Not applicableBoiling point: not determinedVapour pressure: 1,000 hPa at 50 °C	Ignition temperature	: not determined
Auto-ignition temperature: Not applicablepH: not determinedFreezing point: Not applicableBoiling point: not determinedVapour pressure: 1,000 hPa at 50 °C	Lower explosion limit	: No data available
pH: not determinedFreezing point: Not applicableBoiling point: not determinedVapour pressure: 1,000 hPa at 50 °C	Upper explosion limit	: No data available
Freezing point:Not applicableBoiling point:not determinedVapour pressure:1,000 hPa at 50 °C	Auto-ignition temperature	: Not applicable
Boiling point: not determinedVapour pressure: 1,000 hPa at 50 °C	рН	: not determined
Vapour pressure : 1,000 hPa at 50 °C	Freezing point	: Not applicable
at 50 °C	Boiling point	: not determined
Density : 1,0216 g/cm3	Vapour pressure	
	Density	: 1,0216 g/cm3

Version 2.29	Revision Date 28.04.2020	Print Date 05.05.2020	
Water solubility	: not determined		
Partition coefficient: n-	: No data available		

octanol/water Solubility in other solvents	: not determined
Flow time	: 59 s 6 mm Method: ISO/DIN 2431 '84
Relative vapour density	: Not applicable

Evaporation rate : not determined

9.2 Other information

Solids by weight	:	18,88 %
Volatile organic compounds (VOC) content	:	6,35 %
Water content	:	74,76 %

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
10.4 Conditions to avoid		
Conditions to avoid	:	Our products were manufactured in compliance with safety standards to avoid decomposition and degrading under the defined conditions. Taking the product type into account, it is advisable to leave the product in its original packaging thus avoiding transferring it.
10.5 Incompatible materials		
Materials to avoid	:	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

Hazardous decomposition	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of
products		nitrogen (NOx), dense black smoke.

Version 2.29

Revision Date 28.04.2020

Thermal decomposition : Not applicable

SECTION 11: Toxicological information

11.1 Information on toxicological effects

<u>Product</u>	
Acute oral toxicity	: Acute toxicity estimate: > 2.000 mg/kg, Calculation method
Acute inhalation toxicity	 Acute toxicity estimate: > 20 mg/l, 4 h, vapour, Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 2.000 mg/kg, Calculation method
Skin corrosion/irritation	Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin., The product may be absorbed through the skin.
Further information	: The concentration of each substance should be borne in mind in assessing the toxicological effects deriving from the preparation.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	:	Remarks: No data is available on the product itself.		
2-methyl-2H-isothiazol-3-one 5-Chloro-2-methyl- 3(2H)isothiazolone mixt. with 2-Methyl-3(2H)isothiazolone	-	10 100		
12.2 Persistence and degradability				
Biodegradability	:	No data available		
12.3 Bioaccumulative potential				
Bioaccumulation	:	No data available		
12.4 Mobility in soil				
Mobility	:	No data available		

12.5 Results of PBT and vPvB assessment

Version 2.29

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Additional ecological	: The product contains dangerous substances for the
information	environment (see chapter no 3).
	The concentration of each substance should be borne in mind in assessing the toxicological effects deriving from the
	preparation.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The product should not be allowed to enter drains, water courses or the soil. Disposal together with normal waste is not allowed. Special disposal required according to local regulations.
Contaminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. The following Waste Codes are only suggestions: 150110*

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 Proper shipping name

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

Version 2.29

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 survey, neuren und envir onment		eguntions, registation specific for the substance of mixture
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
MAL-Code-Number	:	1-1 (1993) 218-m3 air/10 g
Storage class (TRGS 510)	:	10: Combustible liquids
Risk classification according	:	Flash Point > 55 °C up to 100 °C, at 15 °C not miscible with 10

Version 2.29	Revision Date 28.04.2020	Print Date 05.05.2020
to VbF	water	
Water contaminating class (Germany)	: highly hazardous to water	
(,))	Ordinance on facilities for handling su hazardous to water (AwSV)	ubstances that are
	Classification according to AwSV, An	nex 1 (5.2)

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

15.2 Chemical safety assessment

No data is available on the product itself.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

List of references

Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP)

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended). Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Key or legend to abbreviations and acronyms used in the safety data sheet

Version 2.29

Revision Date 28.04.2020

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AICS - Australian Inventory of Chemical Substances: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO -International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.