according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.22

Revision Date 14.01.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	MACROBASE OXIDE RED
Product code	:	L0MC0033

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	: Paints, varnishes and enamels
Substance/Mixture	
Chemical nature	: Coloured concentrated base

1.3 Details of the supplier of the safety data sheet

Company	: Lechler SpA
	Via Cecilio 17
	22100 Como- CO-
Telephone	: +39031586111
Telefax	: +39031586206
E-mail address	: safety@lechler.eu
Responsible/issuing person	

1.4 Emergency telephone number

Tel. +39-031-586301 Fax +39-031-586299 This telephone number is available during office hours only.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Hazard statements



Warning

: H226

:

Signal word

Flammable liquid and vapour.

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.22

Revision Date 14.01.2019

Print Date 04.02.2019

Precautionary statements :	Prevention:	
	P210	Keep away from heat, hot surfaces, sparks,
		open flames and other ignition sources. No smoking.
	P233	Keep container tightly closed.
	Response:	
	P303 + P361 + P3	353 IF ON SKIN (or hair): Take off
		immediately all contaminated clothing.
		Rinse skin with water/shower.
	P370 + P378	In case of fire: Use dry sand, dry chemical
		or alcohol-resistant foam to extinguish.
	Storage:	-
	P403 + P235	Store in a well-ventilated place. Keep cool.
	Disposal:	
	P501	Dispose of contents/ container to an
		approved waste disposal plant.

Additional Labelling:

EUH208 Contains: triisotridecyl phosphite, 2-hydroxyethyl methacrylate. May produce an allergic reaction.

2.3 Other hazards

None known. No hazards resulting from the material as supplied. The information required is contained in this Material Safety Data Sheet.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Fluid pigmented dispersion

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
heptan-2-one	110-43-0 203-767-1 01-2119902391-49	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 4; H332	>= 1 - < 5
Hexanoic acid, 2-ethyl-, zinc salt, basic	85203-81-2 286-272-3	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Repr. 2; H361d Aquatic Chronic 3; H412	>= 0,25 - < 1

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.22

Revision Date 14.01.2019

Print Date 04.02.2019

triisotridecyl phosphite	77745-66-5 278-758-9 01-2119487302-40	Skin Sens. 1; H317 Aquatic Chronic 4; H413	>= 0,25 - < 1
2-hydroxyethyl methacrylate	868-77-9 212-782-2 01-2119490169-29	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Note D	>= 0,1 - < 1
Substances with a work	place exposure limit :		
diiron trioxide	1309-37-1 215-168-2 01-2119457614-35		>= 30 - < 50
n-butyl acetate	123-86-4 204-658-1 01-2119485493-29	Flam. Liq. 3; H226 STOT SE 3; H336	>= 17,5 - < 20
2-methoxy-1- methylethyl acetate	108-65-6 203-603-9 01-2119475791-29	Flam. Liq. 3; H226	>= 1 - < 5

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 When symptoms persist or in all cases of doubt seek medical advice. Never give anything by mouth to an unconscious person. 	
If inhaled	 Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. If unconscious, place in recovery position and seek medical advice. 	
In case of skin contact	 Take off all contaminated clothing immediately. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. Put shower on working place 	
In case of eye contact	 Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. Seek medical advice. Put eye-washer on working place Remove contact lenses. 	
If swallowed	: If accidentally swallowed obtain immediate medical attention. Do NOT induce vomiting.	

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.22	Revision Date 14.01.2019	Print Date 04.02.2019
	Keep at rest.	
4.2 Most important symptoms and ef	ffects, both acute and delayed	
Symptoms	: No information available.	
Risks	: No information available.	
4.3 Indication of any immediate med	ical attention and special treatment neede	ed
Treatment	: The first aid procedure should be esta with the doctor responsible for indust Seek medical advice.	
SECTION 5: Firefighting meas	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: Use water spray, alcohol-resistant for carbon dioxide. Keep containers and surroundings co	-
Unsuitable extinguishing media	: Do NOT use water jet.	
5.2 Special hazards arising from t	he substance or mixture	
Specific hazards during firefighting	 As the product contains combustible will produce dense black smoke conta products of combustion (see section Exposure to decomposition products health. Cool closed containers exposed to fir Collect contaminated fire extinguishir must not be discharged into drains. Fire residues and contaminated fire e be disposed of in accordance with loce 	aining hazardous 10). may be a hazard to re with water spray. ng water separately. This extinguishing water must
5.3 Advice for firefighters		
Special protective equipment for firefighters	: Wear self-contained breathing appara necessary.	atus for firefighting if

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Solvent vapours are heavier than air and may spread along floors.
	Ensure adequate ventilation.
	Use personal protective equipment.

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.22		Revision Date 14.01.2019	Print Date 04.02.2019
		Evacuate personnel to safe areas. Keep people away from and upwind of sp Ventilate the area.	pill/leak.
6.2 Environmental precautions			
Environmental precautions	:	Try to prevent the material from entering courses. If the product contaminates rivers and lak respective authorities.	
6.3 Methods and materials for co	onta	inment and cleaning up	
Methods for cleaning up	 Clean with detergents. Avoid solvents. Contain and collect spillages with non-combustible materials, e.g. sand, earth, vermiculite, diatomaceo and place in a suitable container. The contaminate should be cleaned up immediately with a suitable decontaminant. One possible (flammable) deconta comprises water (45 parts by volume)/ethanol or iso (50 parts)/concentrated (d: 0.880) ammonia solution (5 parts). A non-flamm alternative is sodium carbonate (5 parts)/water (95 Pick up and transfer to properly labelled containers. 		iatomaceous earth ontaminated area suitable e) decontaminant nanol or isopropanol non-flammable /water (95 parts).
		Clean contaminated surface thoroughly. Dam up. Soak up with inert absorbent material and hazardous waste.	d dispose of as
6.4 Reference to other sections			
Refer to section 15 for specifi	ic na	ational regulation.	

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Avoid exceeding the given occupational exposure limits (see section 8). Use only in area provided with appropriate exhaust ventilation. Avoid contact with skin, eyes and clothing. Smoking, eating and drinking should be prohibited in the application area. Avoid inhalation of vapour or mist. For personal protection see section 8. Thoroughly mix before using After using, store in a well-sealed container
Advice on protection against fire and explosion	:	Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits.

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED				
Version 2.22	Revision Date 14.01.2019	Print Date 04.02.2019		
	When transferring from one container earthing measures and use conductiv No sparking tools should be used. The product should only be used in an naked lights and other sources of igni excluded. No smoking.	re hose material. reas from which all		
7.2 Conditions for safe storage, in	ncluding any incompatibilities			
Requirements for storage areas and containers	 Observe label precautions. Containers which are opened must be kept upright to prevent leakage. Solvent vapours are heavier than air a floors. Vapours may form explosive mixtures Electrical installations / working mater the technological safety standards. Keep away from sources of ignition - Store between 5° an 35°C in a dry, we from source of heat, ignition and direct Store in accordance with the particular 	and may spread along with air. rials must comply with No smoking. ell ventilated place away ct sunlight.		
Advice on common storage	: Keep away from oxidizing agents and materials.	strongly acid or alkaline		
German storage class	: 3 Flammable liquids			
7.3 Specific end use(s)				
	: This information is not available.			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
diiron trioxide	1309-37-1	TWA		2007-01-01	ACGIH
			5 mg/m3		
n-butyl	123-86-4	TWA	50 ppm	2016-03-01	ACGIH
acetate					
		STEL	150 ppm	2016-03-01	ACGIH
heptan-2-one	110-43-0	TWA	50 ppm	2000-06-16	2000/39/EC
			238 mg/m3		
Further information	: skin: Identifies the possibility of significant uptake through the skinIndicative				
		STEL	100 ppm	2000-06-16	2000/39/EC
			475 mg/m3		
Further	: skin: Identifies the possibility of significant uptake through the skinIndicative				

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.22

Revision Date 14.01.2019

Print Date 04.02.2019

information						
2-methoxy-1- methylethyl acetate	1	08-65-6	STEL	100 ppm 550 mg/m3	2000-06-16	2000/39/EC
Further information	:	skin: Identi	skin: Identifies the possibility of significant uptake through the skinIndicative			
			TWA	50 ppm 275 mg/m3	2000-06-16	2000/39/EC
Further information	:	skin: Identi	fies the poss	ibility of significant up	take through the skinIn	dicative

DNEL

DNEL 2-hydroxyethyl methacrylate	: End Use: Workers
	Exposure routes: Skin contact Potential health effects: Chronic effects Value: 1,3 mg/kg
	End Use: Workers Exposure routes: Inhalation Potential health effects: Chronic effects Value: 4,9 mg/m3
	End Use: Consumers Exposure routes: Skin contact Potential health effects: Chronic effects Value: 0,83 mg/kg
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Chronic effects Value: 2,9 mg/m3
	End Use: Consumers Exposure routes: Ingestion Potential health effects: Chronic effects Value: 0,83 mg/kg
n-butyl acetate	 End Use: Professional use Exposure routes: Skin contact Potential health effects: Local effects Exposure time: 8 h Value: 7 ppm
	End Use: Professional use Exposure routes: Inhalation Potential health effects: Local effects Value: 48 mg/m3

PNEC 2-hydroxyethyl methacrylate

: Fresh water

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.22	Revision Date 14.01.2019	Print Date 04.02.2019
	Value: 0,482 mg/l	
	Marine water Value: 0,482 mg/l	
	Sewage treatment plant Value: 10 mg/l	
	Intermittent use/release Value: 1 mg/l	
	Fresh water sediment Value: 3,79 mg/kg	
	Marine sediment Value: 3,79 mg/kg	
	Soil Value: 0,476 mg/kg	
n-butyl acetate	: Water Value: 0,18 mg/l	
	Soil Value: 0,093 mg/kg	
8.2 Exposure controls		
Personal protective equipment		
Respiratory protection	 Apply technical measures to comply v exposure limits. This should be achieved by a good ge practically feasible- by the use of a lo If the occupational exposure limits ca exceptional cases suitable respiratory 	eneral extraction and -if cal exhaust ventilation. nnot be met, in

exceptional cases suitable respiratory equipment should be worn only for a short period of time.

Respirator with combination filter for vapour/particulate (EN 141)

Hand protection : Solvent-resistant gloves (butyl-rubber) recomended. For prolonged or repeated contact use protective gloves. Protective gloves complying with EN 374. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. Barrier creams may help to protect the exposed areas of skin,

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.22	Revision Date 14.01.2019	Print Date 04.02.2019
	they should however not be applied once occurred. Skin should be washed after contact. Wash your hands and put on barrier creat	
Eye protection	: Chemical resistant goggles must be worn	
Skin and body protection	: Skin should be washed after contact. Personnel should wear protective clothing Flame retardant antistatic protective cloth Workers should wear antistatic footwear.	·
Environmental exposure contro	bls	
General advice	 Try to prevent the material from entering courses. If the product contaminates rivers and lak respective authorities. 	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Odour	: solvent-like
Flash point	: > 23 - 55 °C
Ignition temperature	: not determined
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Auto-ignition temperature	: Not applicable
рН	: not determined
Freezing point	: Not applicable
Boiling point	: not determined
Vapour pressure	: 1,000 hPa at 50 °C
Density	: 1,3428 g/cm3
Water solubility	: not determined
Partition coefficient: n- octanol/water	: No data available
	0 / 15

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.22	Revision Date 14.01.2019	Print Date 04.02.2019
Solubility in other solvents	: not determined	
Flow time	: 59 s 6 mm Method: ISO/DIN 2431 '84	
Relative vapour density	: Not applicable	
Evaporation rate	: not determined	
9.2 Other information		
Solids by weight	: 75,09 %	
Volatile organic compounds (VOC) content	: 24,9 %	
SECTION 10: Stability and re-	activity	
10.1 Reactivity		
None reasonably foreseeable		
10.2 Chemical stability		
The product is chemically stal	ble.	
10.3 Possibility of hazardous rea	ctions	
Hazardous reactions	: No dangerous reaction known under co	nditions of normal use.
10.4 Conditions to avoid		
Conditions to avoid	 Our products were manufactured in cor standards to avoid decomposition and o defined conditions. Taking the product type into account, it the product in its original packaging thus it. 	degrading under the is advisable to leave
10.5 Incompatible materials		
Materials to avoid	: Keep away from oxidizing agents, stron strongly acid materials in order to avoid	
10.6 Hazardous decomposition p	roducts	
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxid nitrogen (NOx), dense black smoke.	e (CO), oxides of
Thermal decomposition	: Not applicable	

SECTION 11: Toxicological information

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.	22
------------	----

Revision Date 14.01.2019

11.1 Information on toxicological effects

Product		
Acute oral toxicity	: Acute toxicity estimate: > 2.000 mg/kg, Calculation method	
Acute inhalation toxicity	: Acute toxicity estimate: > 20 mg/l, 4 h, vapour, Calculation method	
Skin corrosion/irritation	: Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation the skin., The product may be absorbed through the skin.	
Further information	: The concentration of each substance should be borne in mi in assessing the toxicological effects deriving from the preparation.	ind
<u>Components:</u> heptan-2-one :		
Acute oral toxicity	: Acute toxicity estimate: 500 mg/kg, Converted acute toxicity point estimate	

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

Remarks: No data is available on the product itself.

12.2 Persistence and degradability

Biodegradability	:	No data available
------------------	---	-------------------

12.3 Bioaccumulative potential

Bioaccumulation : No data available

12.4 Mobility in soil

Mobility : No data available

12.5 Results of PBT and vPvB assessment

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.22

Revision Date 14.01.2019

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Additional ecological	: The product contains dangerous substances for the
information	environment (see chapter no 3).
	The concentration of each substance should be borne in mind in assessing the toxicological effects deriving from the
	preparation.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The product should not be allowed to enter drains, water courses or the soil. Disposal together with normal waste is not allowed. Special disposal required according to local regulations.
Contaminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. The following Waste Codes are only suggestions:150110*

SECTION 14: Transport information

14.1 UN number

ADR	:	UN 1263
IMDG	:	UN 1263
ΙΑΤΑ	:	UN 1263

14.2 Proper shipping name

ADR	PAINT
IMDG	PAINT
ΙΑΤΑ	Paint

14.3 Transport hazard class(es)

ADR :	3
-------	---

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

ersion 2.22	Revision Date 14.01.2019	Print Date 04.02.20
IMDG	: 3	
ΙΑΤΑ	: 3	
4.4 Packing group		
ADR		
Packing group	: 111	
Classification Code	: F1	
Hazard Identification Number	: 30	
Labels	: 3	
IMDG		
Packing group	: 111	
Labels	: 3	
EmS Code	: F - E,S - E	
ΙΑΤΑ		
Packing group	: 111	
Labels	: 3	
4.5 Environmental hazards		
ADR		
Environmentally hazardous	: no	
IMDG		
Marine pollutant	: no	
ΙΑΤΑ		
Environmentally hazardous	: no	
4.6 Special precautions for user		
Not applicable		
	to Annex II of MARPOL 73/78 and the IE	RC Codo

SECTION 15: Regulatory information

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.22

Revision Date 14.01.2019

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Banned and/or restricted
108-65-6	2-methoxy-1-methylethyl acetate
	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
70657-70-4	2-methoxypropyl acetate
MAL-Code-Number	: 5-6 (1993) 13.556-m3 air/10 g
German storage class	: 3: Flammable liquids

(TRGS 510)	
Risk classification according to VbF	: Exempt see user defined free text

Water contaminating class	: water endangering
(Germany)	VWVWS A4

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

15.2 Chemical safety assessment

No data is available on the product itself.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H226 Flammable liquid and vapour.

14 / 15

according to Regulation (EC) No. 830/2015

MACROBASE OXIDE RED

Version 2.22

Revision Date 14.01.2019

Print Date 04.02.2019

Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction.
Causes serious eye irritation.
Harmful if inhaled.
May cause drowsiness or dizziness.
Suspected of damaging the unborn child.
Harmful to aquatic life with long lasting effects.
May cause long lasting harmful effects to aquatic life.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.