according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17

Revision Date 25.09.2017

Print Date 04.02.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	MACROBASE BLUE BLACK
Product code	:	L0MC0084

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the	: Paints, varnishes and enamels
Substance/Mixture	
Chemical nature	: Coloured concentrated base

1.3 Details of the supplier of the safety data sheet

Company	: Lechler SpA
	Via Cecilio 17
	22100 Como- CO-
Telephone	: +39031586111
Telefax	: +39031586206
E-mail address	: safety@lechler.eu
Responsible/issuing person	

1.4 Emergency telephone number

Tel. +39-031-586301 Fax +39-031-586299 This telephone number is available during office hours only.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 Specific target organ toxicity - single exposure, Category 3, Central nervous system H226: Flammable liquid and vapour. H336: May cause drowsiness or dizziness.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17	Revision Dat	te 25.09.2017	Print Date 04.02.2019
Signal word	: Warning		
Hazard statements	: H226 H336	Flammable liquid and May cause drowsiness	
	EUH066Repea cracking. : Prevention:	ated exposure may cause s	kin dryness or
Precautionary statements	P210	Keep away from heat, open flames and other smoking.	
	P261	Avoid breathing dust/ f vapours/ spray.	ume/ gas/ mist/
	Response:		
	•	 P353 IF ON SKIN (or ha immediately all contan Rinse skin with water/s 	ninated clothing.
	P304 + P340 +	 P312 IF INHALED: Ren air and keep comfortal a POISON CENTER/d unwell. 	
	P370 + P378	In case of fire: Use dry or alcohol-resistant for	
	Storage: P403 + P233	Store in a well-ventilate container tightly closed	

Hazardous components which must be listed on the label:

• 123-86-4 n-butyl acetate

Additional Labelling:

EUH208 Contains: triisotridecyl phosphite, 2-hydroxyethyl methacrylate. May produce an allergic reaction.

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards

None known. No hazards resulting from the material as supplied. The information required is contained in this Material Safety Data Sheet.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Fluid pigmented dispersion

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(REGULATION (EC) No	[%]

according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17

Revision Date 25.09.2017

Print Date 04.02.2019

	Registration number	1272/2008)	
heptan-2-one	110-43-0 203-767-1 01-2119902391-49	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 4; H332	>= 5 - < 10
triisotridecyl phosphite	77745-66-5 278-758-9 01-2119487302-40	Skin Sens. 1; H317	>= 0,1 - < 1
Hexanoic acid, 2-ethyl-, zinc salt, basic	85203-81-2 286-272-3	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Repr. 2; H361d Aquatic Chronic 3; H412	>= 0,25 - < 1
2-hydroxyethyl methacrylate	868-77-9 212-782-2 01-2119490169-29	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Note D	>= 0,1 - < 1
Substances with a work	place exposure limit :		
n-butyl acetate	123-86-4 204-658-1 01-2119485493-29	EUH066 Flam. Liq. 3; H226 STOT SE 3; H336	>= 20 - < 25
Carbon black	1333-86-4 215-609-9 01-2119384822-32		>= 1 - < 5

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 When symptoms persist or in all cases of doubt seek medical advice. Never give anything by mouth to an unconscious person.
If inhaled	 Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	 Take off all contaminated clothing immediately. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. Put shower on working place
In case of eye contact	: Irrigate copiously with clean, fresh water for at least 10

according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17	Revision Da	nte 25.09.2017	Print Date 04.02.2019
	Seek medica	her on working place	
If swallowed	If accidentall Do NOT indu Keep at rest.	5	liate medical attention.
4.2 Most important symptoms and e	ects, both acute	and delayed	
Symptoms	: No information	on available.	
Risks	: No informatio	on available.	
4.3 Indication of any immediate med	cal attention and	d special treatment needed	
Treatment		procedure should be estat or responsible for industria I advice.	
SECTION 5: Firefighting meas	ires		
5.1 Extinguishing media			
Suitable extinguishing media	carbon dioxid	oray, alcohol-resistant foan de. lers and surroundings coo	-
Unsuitable extinguishing media	: Do NOT use	water jet.	
5.2 Special hazards arising from	e substance or	r mixture	
Specific hazards during firefighting	will produce of products of of Exposure to health. Cool closed of Collect conta must not be of Fire residues	ct contains combustible of dense black smoke contai combustion (see section 10 decomposition products m containers exposed to fire iminated fire extinguishing discharged into drains. and contaminated fire ext of in accordance with loca	ning hazardous D). hay be a hazard to with water spray. water separately. This tinguishing water must
5.3 Advice for firefighters			
Special protective equipment for firefighters	: Wear self-co necessary.	ntained breathing apparati	us for firefighting if

SECTION 6: Accidental release measures

according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17

Revision Date 25.09.2017

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Solvent vapours are heavier than air and may spread along floors. Ensure adequate ventilation. Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ventilate the area.
	Ventilate the area.

6.2 Environmental precautions

Environmental precautions	: Try to prevent the material from entering drains or water
	courses.
	If the product contaminates rivers and lakes or drains inform
	respective authorities.

6.3 Methods and materials for containment and cleaning up

: Clean with detergents. Avoid solvents. Methods for cleaning up Contain and collect spillages with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in a suitable container. The contaminated area should be cleaned up immediately with a suitable decontaminant. One possible (flammable) decontaminant comprises water (45 parts by volume)/ethanol or isopropanol (50 parts)/concentrated (d: 0.880) ammonia solution (5 parts). A non-flammable alternative is sodium carbonate (5 parts)/water (95 parts). Pick up and transfer to properly labelled containers. Clean contaminated surface thoroughly. Dam up. Soak up with inert absorbent material and dispose of as hazardous waste.

6.4 Reference to other sections

Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: Avoid exceeding the given occupational exposure limits (see section 8).
	Use only in area provided with appropriate exhaust ventilation.
	Avoid contact with skin, eyes and clothing.
	Smoking, eating and drinking should be prohibited in the
	application area.
	Avoid inhalation of vapour or mist.
	For personal protection see section 8.
	Thoroughly mix before using

according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17	Revision Date 25.09.2017	Print Date 04.02.2019
	After using, store in a well-sealed cont	ainer
Advice on protection against fire and explosion	 Prevent the creation of flammable or ere of vapour in air and avoid vapour conce the occupational exposure limits. When transferring from one container earthing measures and use conductive No sparking tools should be used. The product should only be used in are naked lights and other sources of ignit excluded. No smoking. 	entration higher than to another apply e hose material. eas from which all
7.2 Conditions for safe storage, inc	cluding any incompatibilities	
Requirements for storage areas and containers	 Observe label precautions. Containers which are opened must be kept upright to prevent leakage. Solvent vapours are heavier than air a floors. Vapours may form explosive mixtures Electrical installations / working materi the technological safety standards. Keep away from sources of ignition - N Store between 5° an 35°C in a dry, we from source of heat, ignition and direct Store in accordance with the particular 	ind may spread along with air. ials must comply with No smoking. Il ventilated place away t sunlight.
Advice on common storage	: Keep away from oxidizing agents and materials.	strongly acid or alkaline
7.3 Specific end use(s)		
	: This information is not available.	
SECTION 8: Exposure controls	/personal protection	
8.1 Control parameters		

Components	CAS-No.	Value	Control parameters	Update	Basis
n-butyl	123-86-4	TWA	150 ppm	2007-01-01	ACGIH
acetate			713 mg/m3		
		STEL	200 ppm 950 mg/m3	2007-01-01	ACGIH
heptan-2-one	110-43-0	TWA	50 ppm 238 mg/m3	2000-06-16	2000/39/EC
Further information	: skin: Identi	fies the poss	ibility of significant upta	ake through the skinIndic	ative
		STEL	100 ppm	2000-06-16	2000/39/EC

according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17

Revision Date 25.09.2017

Print Date 04.02.2019

on 2.17		Г	evision Date 25.09.2017	Print Date 04.02	
			475 mg/m3		
Further information	: skin: Ident	ifies the pos	sibility of significant uptake throug	h the skinIndicative	
carbon black	1333-86-4	TWA	3,5 mg/m3	ACGIH	
DNEL n-butyl acetate PNEC n-butyl acetate		Exj Pot Exj Val End Exj Pot	d Use: Professional use posure routes: Skin contact ential health effects: Local e posure time: 8 h ue: 7 ppm d Use: Professional use posure routes: Inhalation ential health effects: Local e ue: 48 mg/m3		
xposure control	s	Val Soi	ue: 0,18 mg/l		
Personal protec	tive equipme	nt			
Respiratory protection		exp Thi pra If t cas sho	 Apply technical measures to comply with the occupational exposure limits. This should be achieved by a good general extraction and -if practically feasible- by the use of a local exhaust ventilation. If the occupational exposure limits cannot be met, in exceptional cases suitable respiratory equipment should be worn only for a short period of time. Respirator with combination filter for vapour/particulate (EN 141) 		
Hand protection		For Pro Ple bre glo und abr If u	ler which the product is used asion, and the contact time. used in solution, or mixed with	ct use protective gloves. th EN 374. regarding permeability and ovided by the supplier of the tion the specific local conditions	

CE approved gloves. 7 / 14

conditions which differ from EN 374, contact the supplier of the

according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17		Revision Date 25.09.2017	Print Date 04.02.2019
		Barrier creams may help to protect the expos should however not be applied once exposur Skin should be washed after contact. Wash your hands and put on barrier creams	· · · ·
Eye protection	:	Chemical resistant goggles must be worn.	
Skin and body protection	:	Skin should be washed after contact. Working clothes must not consist of textiles, dangerous melting behaviour in case of fire. Personnel should wear protective clothing. Workers should wear antistatic footwear.	which show a
Environmental exposure con	trols		
General advice	:	Try to prevent the material from entering dra If the product contaminates rivers and lakes respective authorities.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Odour	:	solvent-like
Flash point	:	> 23 - 55 °C
Ignition temperature	:	not determined
Lower explosion limit	:	No data available
Upper explosion limit	:	No data available
Auto-ignition temperature	:	Not applicable
рН	:	not determined
Freezing point	:	Not applicable
Boiling point	:	not determined
Vapour pressure	:	1,000 hPa at 50 °C
Density	:	1,0363 g/cm3
Water solubility	:	not determined
Partition coefficient: n- octanol/water	:	No data available
		0 / 14

according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17	Revision Date 25.09.2017	Print Date 04.02.2019
Solubility in other solvents	: not determined	
Flow time	: 59 s 6 mm Method: ISO/DIN 2431 '84	
Relative vapour density	: Not applicable	
Evaporation rate	: not determined	
9.2 Other information		
Solids by weight	: 67,87 %	
Volatile organic compounds (VOC) content	: 32,13 %	
SECTION 10: Stability and re	activity	
10.1 Reactivity		
None reasonably foreseeable		
10.2 Chemical stability		
The product is chemically sta	ble.	
10.3 Possibility of hazardous rea	ctions	
Hazardous reactions	: No dangerous reaction known under c	conditions of normal use.
10.4 Conditions to avoid		
Conditions to avoid	 Our products were manufactured in constandards to avoid decomposition and defined conditions. Taking the product type into account, in the product in its original packaging the it. 	l degrading under the
10.5 Incompatible materials		
Materials to avoid	: Keep away from oxidizing agents, stro strongly acid materials in order to avoi	0,
10.6 Hazardous decomposition p	products	
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxi nitrogen (NOx), dense black smoke.	ide (CO), oxides of
Thermal decomposition	: Not applicable	

SECTION 11: Toxicological information

according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17

Revision Date 25.09.2017

11.1 Information on toxicological effects

Product	
Acute oral toxicity	: Acute toxicity estimate: > 2.000 mg/kg, Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: > 20 mg/l, 4 h, vapour, Calculation method
Skin corrosion/irritation	: Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin., The product may be absorbed through the skin.
Further information	: The concentration of each substance should be borne in mind in assessing the toxicological effects deriving from the preparation.
<u>Components:</u> heptan-2-one :	
Acute oral toxicity	: Acute toxicity estimate: 500 mg/kg, Converted acute toxicity point estimate

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish : Remarks: No data is available on the product itself.

12.2 Persistence and degradability

Biodegradability : No data available

12.3 Bioaccumulative potential

Bioaccumulation : No data available

12.4 Mobility in soil

Mobility : No data available

12.5 Results of PBT and vPvB assessment

according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17

Revision Date 25.09.2017

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Additional ecological	: The product contains dangerous substances for the
information	environment (see chapter no 3).
	The concentration of each substance should be borne in mind in assessing the toxicological effects deriving from the
	preparation.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The product should not be allowed to enter drains, water courses or the soil. Disposal together with normal waste is not allowed. Special disposal required according to local regulations.
Contaminated packaging	 Empty containers should be taken to an approved waste handling site for recycling or disposal. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. The following Waste Codes are only suggestions: 150110*

SECTION 14: Transport information

14.1 UN number

ADR	:	UN 1263
IMDG	:	UN 1263
ΙΑΤΑ	:	UN 1263

14.2 Proper shipping name

ADR	PAINT
IMDG	PAINT
IATA	Paint

14.3 Transport hazard class(es)

3

according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17	Revision Date 25.09.2017	Print Date 04.02.201
IMDG	: 3	
ІАТА	: 3	
14.4 Packing group		
ADR		
Packing group	: III	
Classification Code	: F1	
Hazard Identification Number	: 30	
Labels	: 3	
IMDG		
Packing group	: III	
Labels	: 3	
EmS Code	: F - E,S - E	
IATA		
Packing group	: III	
Labels	: 3	
14.5 Environmental hazards		
ADR		
Environmentally hazardous	: no	
IMDG		
Marine pollutant	: no	
IATA		
Environmentally hazardous	: no	
4.6 Special precautions for user		
Not applicable		

according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17

Revision Date 25.09.2017

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of : Not applicable Substances of Very High Concern for Authorisation (Article 59).

REACH - List of substances : Not applicable subject to authorisation (Annex XIV)

REACH - Restrictions on the : Banned and/or restricted manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

123-86-4	n-butyl acetate
108-65-6	2-methoxy-1-methylethyl acetate
	Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)
70657-70-4	2-methoxypropyl acetate

- MAL-Code-Number : 5-6 (1993) 10.667-m3 air/10 g
- Risk classification according to
VbF
 : Exempt
see user defined free text

 Water contaminating class
(Germany)
 : water endangering
VWVWS A4

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

15.2 Chemical safety assessment

No data is available on the product itself.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

EUH066 Repeated exposure may cause skin dryness or cracking.

according to Regulation (EC) No. 830/2015

MACROBASE BLUE BLACK

Version 2.17

Revision Date 25.09.2017

Print Date 04.02.2019

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H412	Harmful to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.