

Page 1/10

*

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 17 (replaces version 16)

Revision: 30.03.2022

SECTION 1.	<u>nachujic</u> u	tion of the substance/mixture and of the company/undertaking
1.1 Product ide	ntifier	
Trade name: <u>M</u>	OTIP CAR	CARE COCKPITSPRAY 'ORANGE' 600 ML
No further relev Sector of Use SU21 Consum SU22 Professi Product catego Process catego PROC7 Indust PROC11 Non	entified uses oant information onal uses: Prive onal uses: Pu ry Flux agent y rial spraying industrial spr	ate households / general public / consumers ublic domain (administration, education, entertainment, services, craftsmen) ts for casting
Manufacturer/S European Aeros Wolfraamweg 2 NL-8471 XC Wo The Netherland Tel : +31 (0)56 e-mail: sds-nl@ *Formerly know Further inform 1.4 Emergency +31 (0)561-694	Supplier: sols B.V.* olvega 1 694400 european-ae vn as Motip I ation obtaina telephone nu 400 (09:00h	Dupli B.V. able from: Department Product Safety umber:
SECTION 2		
		stance or mixture Regulation (EC) No 1272/2008
	ccoraing io i	
flame	U	
		229 Extremely flammable aerosol. Pressurised container: May burst if heated.
Aerosol 1		29 Extremely flammable aerosol. Pressurised container: May burst if heated.
Aerosol 1	H222-H2	229 Extremely flammable aerosol. Pressurised container: May burst if heated. Toxic to aquatic life with long lasting effects.
Aerosol 1 envir Aquatic Chroni	H222-H2 onment c 2 H411	Toxic to aquatic life with long lasting effects.
Aerosol 1 envir	H222-H2	

Page 2/10


Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 17 (replaces version 16)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE COCKPITSPRAY 'ORANGE' 600 ML



· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	propane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	20-<25%
EC number: 921-024-6 Reg.nr.: 01-2119475514-35	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n- hexane Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; STOT SE 3, H336	12.5-<20%
CAS: 109-66-0 EINECS: 203-692-4 Index number: 601-006-00-1 Reg.nr.: 01-2119459286-30	<i>pentane</i> Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 STOT SE 3, H336 EUH066	12.5-<20%
		(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 17 (replaces version 16)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE COCKPITSPRAY 'ORANGE' 600 ML

		(Contd. of page 2)
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32	butane (containing < 0,1 % butadiene (203-450-8)) Flam. Gas 1A, H220 Press. Gas (Comp.), H280	_ 12.5-<20%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27	isobutane (containing < 0,1 % butadiene (203-450-8)) Flam. Gas 1A, H220 Press. Gas (Comp.), H280	_ 12.5-<20%
EC number: 918-481-9 Reg.nr.: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Asp. Tox. 1, H304 EUH066	5-<10%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	2.5-<5%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -

*

· Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources.
 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

⁻ GB

Page 4/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 17 (replaces version 16)

Revision: 30.03.2022

(Contd. of page 3)

Trade name: MOTIP CAR CARE COCKPITSPRAY 'ORANGE' 600 ML

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- **Requirements to be met by storerooms and receptacles:** Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class: 2 B

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

109-66-0 pentane

WEL Long-term value: 1800 mg/m³, 600 ppm

106-97-8 butane (containing < 0,1 % butadiene (203-450-8))

WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the skin.

Avoid contact with the skin. Avoid contact with the eyes and skin.

• **Respiratory protection:**



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A2/P3
• Hand protection



Protective gloves

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 17 (replaces version 16)

Revision: 30.03.2022

(Contd. of page 4)

Trade name: MOTIP CAR CARE COCKPITSPRAY 'ORANGE' 600 ML

· Material of gloves

Butyl rubber, BR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material Butyl rubber gloves with a thickness of 0.4 mm are resistant to: Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min Xylene: 42 min Butyl rubber gloves with a thickness of 0.4 mm are solvent resis

Butyl rubber gloves with a thickness of 0.4 mm are solvent resistant for 42- 480 minutes. As protective measure, we recommend that users and responsible persons for work safety assume solvent resistance length of 42 minutes. Considering the data in section 3 of this SDS, one can assume longer resistance length in particular cases.

· Eye/face protection Not required.

SECTION 9: Physical and chemical properties

•9.1 Information on basic physical and chemical particular	roperties	
· General Information		
· Physical state	Aerosol	
· Colour:	Colourless	
· Odour:	Fruit-like	
· Odour threshold:	Not determined.	
• Melting point/freezing point:	Undetermined.	
· Boiling point or initial boiling point and boiling		
range	Not applicable, as aerosol.	
· Flammability	Not applicable.	
· Lower and upper explosion limit		
· Lower:	0.6 Vol %	
· Upper:	10.9 Vol %	
· Flash point:	Not applicable, as aerosol.	
· Ignition temperature:	>200 °C (>392 °F)	
• Decomposition temperature:	Not determined.	
· pH	Mixture is non-soluble (in water).	
· Viscosity:		
· Kinematic viscosity	Not determined.	
· Dynamic:	Not determined.	
· Solubility		
· water:	Not miscible or difficult to mix.	
· Partition coefficient n-octanol/water (log value)	Not determined.	
• Vapour pressure at 20 •C (68 •F):	3500 hPa (2625.2 mm Hg)	
· Density and/or relative density		
• Density at 20 •C (68 •F):	$0.6 \ g/cm^3 (5 \ lbs/gal)$	
· Relative density	Not determined.	
· Vapour density	Not determined.	
• 9.2 Other information		
· Appearance:		
· Form:	Aerosol	
· Important information on protection of health and		
environment, and on safety.	~	
• Explosive properties:	Not determined.	
· Solvent content:		
· Organic solvents:	95.8 %	
· VOC (EC)		
	602.7 g/l	
	(Contd. on page 6))
	G	В

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 17 (replaces version 16)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE COCKPITSPRAY 'ORANGE' 600 ML

	(Contd. of page 5
· VOC-EU%	95.82 %
· Solids content:	0.0~%
· Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard	classes
· Explosives	Void
· Flammable gases	Void
· Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
• Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
\cdot Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flamm	able
gases in contact with water	Void
· Oxidising liquids	Void
• Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

*

*

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

\cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity

Hydrocarb	ons, C6-C7	, n-alkanes, isoalkanes, cyclics, <5% n-hexane	
Oral	LD50	>5840 mg/kg (rat)	
Dermal	LD50	>2920 mg/kg (rab)	
Inhalative	LC50/4h	>25.2 mg/l (rat)	
109-66-0 р	entane		
Oral	LD50	>5000 mg/kg (rat)	
Inhalative	LC50/4h	25.3 mg/l (rat)	
Hydrocarb	ons, C10-C	13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	
Oral	LD50	>5000 mg/kg (rat)	
Dermal	LD50	>3000 mg/kg (rab)	
Inhalative	LC50/4 h	>4951 mg/m3 (rat)	
			(Contd. on page

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 17 (replaces version 16)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE COCKPITSPRAY 'ORANGE' 600 ML

			(Contd. of page 6)
67-63-0 pr	opan-2-o	l	
Oral	LD50	5840 mg/kg (rat)	
Dermal	LD50	13900 mg/kg (rabbit)	
Inhalative	LC50	>25 mg/l (rat) LC 50: 6h	
Serious ey Respirator STOT-sing 11.2 Infor	e damage y or skin gle exposi mation oi	ation Causes skin irritation. e/irritation No irritating effect. sensitisation No sensitising effects known. ure May cause drowsiness or dizziness. n other hazards	
• Endocrine	disruptin	ng properties	
1222-05-5	1,3,4,6,7	7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	List II
128-37-0	Butylate	rd hydroxytoluene	List II

CECTIO	NT 10.	T 1	•	C
SECTIO		F.COLOG		

· 12.1 Toxicity

· Aquatic toxicity:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

EC50/48 h 3 mg/l (daphnia magna)

EC50 / 72 h 30-100 mg/l (algae)

LC50/96 h 11.4 mg/l (fish)

109-66-0 pentane

EC50 / 48 h 9.7 mg/l (daphnia magna)

EC50 / 96 h 4.26 mg/l (fish)

LC50 / 96 h 4.26 mg/l (fish)

67-63-0 propan-2-ol

LC50/96h 9640 mg/l (pimephales promelas; 96h)

LC50 / 24 h 9714 mg/l (daphnia magna)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• **vPvB:** Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

⁻ GB

Page 8/10

2

Safety data sheet according to 1907/2006/EC, Article 31

accoraing to 1907/2000/EC, Article

Printing date 02.06.2022

Version number 17 (replaces version 16)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE COCKPITSPRAY 'ORANGE' 600 ML

(Contd. of page 7)

· Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations. Disposal must be made according to official regulations.

SECTION 14: Transport information · 14.1 UN number or ID number · ADR, IMDG, IATA UN1950 · 14.2 UN proper shipping name 1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS $\cdot ADR$ · IMDG AEROSOLS, MARINE POLLUTANT $\cdot IATA$ AEROSOLS, flammable · 14.3 Transport hazard class(es) · ADR 2 5F Gases. · Class · Label 2.1 · IMDG · Class 2.1 Gases. · Label 2.1 ·IATA · Class 2.1 Gases. · Label 2.1 · 14.4 Packing group · ADR, IMDG, IATA not regulated · 14.5 Environmental hazards: · Marine pollutant: Yes Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Gases. · Hazard identification number (Kemler code): · EMS Number: F-D, S-U· Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 · Segregation Code litre: Segregation as for class 9. Stow "separated from" class 1 (Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 17 (replaces version 16)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE COCKPITSPRAY 'ORANGE' 600 ML

	(Contd. of page
	except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2
• 14.7 Maritime transport in bulk according instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
$\cdot Excepted$ quantities $(\widetilde{E}Q)$	Code: E0
	Not permitted as Excepted Quantity
· Transport category	2
• Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- P3a FLAMMABLE AEROSOLS
- E2 Hazardous to the Aquatic Environment
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

(Contd. on page 10)

GB

Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 17 (replaces version 16)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE COCKPITSPRAY 'ORANGE' 600 ML

11411	(Contd. of pa
H411	Toxic to aquatic life with long lasting effects.
EUH06	6 Repeated exposure may cause skin dryness or cracking.
Departn	nent issuing SDS: R&D legislation and regulatory advisor
	t: e-mail: sds-nl@european-aerosols.com
Abbrevi	iations and acronyms:
	lement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning i
0	nal Transport of Dangerous Goods by Rail)
	ternational Civil Aviation Organisation
	ord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
	mal Carriage of Dangerous Goods by Road)
	uternational Maritime Code for Dangerous Goods
	ernational Air Transport Association
GHS: Glo	bally Harmonised System of Classification and Labelling of Chemicals
	European Inventory of Existing Commercial Chemical Substances
ELINCS:	European List of Notified Chemical Substances
CAS: Che	emical Abstracts Service (division of the American Chemical Society)
VOC: Vol	latile Organic Compounds (USA, EU)
LC50: Let	thal concentration, 50 percent
LD50: Le	thal dose, 50 percent
PBT: Pers	sistent, Bioaccumulative and Toxic
SVHC: Su	ubstances of Very High Concern
vPvB: ver	ry Persistent and very Bioaccumulative
Flam. Ga.	s IA: Flammable gases – Category IA
Aerosol 1	: Aerosols – Category 1
Press. Ga	is (Comp.): Gases under pressure – Compressed gas
Flam. Liq	n. 2: Flammable liquids – Category 2
Skin Irrit.	2: Skin corrosion/irritation – Category 2
Eye Irrit.	2: Serious eye damage/eye irritation – Category 2
STOT SE	3: Specific target organ toxicity (single exposure) – Category 3
Asp. Tox.	1: Aspiration hazard – Category 1
Aquatic C	Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
* Data	compared to the previous version altered.