

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier · Trade name: MOTIP CAR CARE AIRCO REFRESHER LAVENDER 150 ML · Article number: 000721 · 1.2 Relevant identified uses of the substance or mixture and uses advised against *No further relevant information available.* · Sector of Use SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Product category Oil paint · Process category PROC7 Industrial spraying **PROC11** Non industrial spraying · Application of the substance / the mixture Preparation \cdot 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: European Aerosols B.V.* Wolfraamweg 2 NL-8471 XC Wolvega The Netherlands Tel: +31 (0)561 694400 e-mail: sds-nl@european-aerosols.com *Formerly known as Motip Dupli B.V. • Further information obtainable from: Department Product Safety · 1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h) UK: NPIS National Poisons Information Centre Tel: +44 0344 892 0111 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. Aerosol 1 STOT SE 3 H336 May cause drowsiness or dizziness. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. (Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE AIRCO REFRESHER LAVENDER 150 ML

(Contd. of page 1) · Hazard pictograms GHS07 GHS02 · Signal word Danger · Hazard-determining components of labelling: 1-methoxy-2-propanol · Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. H336 May cause drowsiness or dizziness. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P260 Do not breathe spray. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. P501 Dispose of contents / container in accordance with regional regulations. • Additional information: Buildup of explosive mixtures possible without sufficient ventilation. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Dangerous	components
-----------	------------

Dungerous components.		
CAS: 115-10-6	dimethyl ether	50-<75%
EINECS: 204-065-8	🚸 Flam. Gas 1A, H220	
Index number: 603-019-00-8	Press. Gas (Comp.), H280	
Reg.nr.: 01-2119472128-37		
CAS: 107-98-2	1-methoxy-2-propanol	25-<50%
EINECS: 203-539-1	🛞 Flam. Liq. 3, H226	
Index number: 603-064-00-3	🚯 STOT SE 3, H336	
Reg.nr.: 01-2119457435-35		
Addition al informer ations For	the wonding of the listed har and physical polon to acction 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.

• After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. (Contd. on page 3)

GB

Page 3/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE AIRCO REFRESHER LAVENDER 150 ML

(Contd. of page 2)

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Keep away from ignition sources.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

• Information about fire - and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

115-10-6 dimethyl ether

WEL Short-term value: 958 mg/m³, 500 ppm Long-term value: 766 mg/m³, 400 ppm

107-98-2 1-methoxy-2-propanol

WEL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk

(Contd. on page 4)

GB

Page 4/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE AIRCO REFRESHER LAVENDER 150 ML

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols.
- Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A2/P3

- · Hand protection Not required.
- · Material of gloves Not required.
- · Penetration time of glove material Not required.
- Eye/face protection Not required.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical p	roperties
· General Information	
· Physical state	Aerosol
· Colour:	Colourless
· Odour:	Alcohol-like
· Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling	
range	Not applicable, as aerosol.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	1.9 Vol % (107-98-2 1-methoxy-2-propanol)
· Upper:	26.2 Vol % (115-10-6 dimethyl ether)
· Flash point:	Not applicable, as aerosol.
· Ignition temperature:	240 ° \hat{C} (464 °F) (115-10-6 dimethyl ether)
• Decomposition temperature:	Not determined.
$\cdot pH$	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C (68 °F):	4000 hPa (3000.2 mm Hg)
· Density and/or relative density	
• Density at 20 •C (68 •F):	0.7 g/cm ³ (5.8 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Aerosol
· Important information on protection of health an	d
environment, and on safety.	
• Explosive properties:	Not determined.
	(Contd. on page 5)

(Contd. of page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE AIRCO REFRESHER LAVENDER 150 ML

	(Contd. of pag
Solvent content:	
Organic solvents:	99.5 %
VOC(EC)	
	725.4 g/l
VOC-EU%	99.50 %
Solids content:	0.1 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard of	classes
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
• Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Skin corrosion/irritation No irritant effect.

· Serious eye damage/irritation No irritating effect.

· Respiratory or skin sensitisation No sensitising effects known.

- · STOT-single exposure May cause drowsiness or dizziness.
- 11.2 Information on other hazards

· Endocrine disrupting properties

1222-05-5 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran

List II

GB

(Contd. on page 6)

Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE AIRCO REFRESHER LAVENDER 150 ML

(Contd. of page 5)

SECTION 12: Ecological infor	mation
12.1 Toxicity	
Aquatic toxicity:	
115-10-6 dimethyl ether	
EC50 / 96 h 155 mg/l (algae)	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
LC50 / 48 h >4000 mg/l (daphnia mag LC50 / 96 h >4000 mg/l (fish)	gna)
12.7 Other adverse effects Additional ecological information: General notes: Water hazard class 1 (German Regulat	ther relevant information available. nt information available.
	rations
Recommendation Must not be disposed together with hou Uncleaned packaging: Recommendation: Disposal must be made according to o <u>f</u>	isehold garbage. Do not allow product to reach sewage system. fficial regulations.
Recommendation Must not be disposed together with how Uncleaned packaging: Recommendation: Disposal must be made according to of Disposal must be made according to of	isehold garbage. Do not allow product to reach sewage system. fficial regulations. fficial regulations.
Recommendation Must not be disposed together with how Uncleaned packaging: Recommendation: Disposal must be made according to of Disposal must be made according to of SECTION 14: Transport inform 14.1 UN number or ID number	isehold garbage. Do not allow product to reach sewage system. fficial regulations. fficial regulations.
Uncleaned packaging: Recommendation: Disposal must be made according to of Disposal must be made according to of SECTION 14: Transport inform 14.1 UN number or ID number ADR, IMDG, IATA	isehold garbage. Do not allow product to reach sewage system. fficial regulations. fficial regulations. nation
Recommendation Must not be disposed together with how Uncleaned packaging: Recommendation: Disposal must be made according to of Disposal must be made according to of SECTION 14: Transport inform 14.1 UN number or ID number ADR, IMDG, IATA 14.2 UN proper shipping name	isehold garbage. Do not allow product to reach sewage system. fficial regulations. fficial regulations. nation
Recommendation Must not be disposed together with how Uncleaned packaging: Recommendation: Disposal must be made according to of Disposal must be made according to of SECTION 14: Transport inform 14.1 UN number or ID number ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG	usehold garbage. Do not allow product to reach sewage system. fficial regulations. fficial regulations. Nation UN1950 1950 AEROSOLS AEROSOLS
Recommendation Must not be disposed together with how Uncleaned packaging: Recommendation: Disposal must be made according to of Disposal must be made according to of SECTION 14: Transport inform 14.1 UN number or ID number ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG IATA	usehold garbage. Do not allow product to reach sewage system. fficial regulations. fficial regulations. Nation UN1950 1950 AEROSOLS
Recommendation Must not be disposed together with how Uncleaned packaging: Recommendation: Disposal must be made according to of Disposal must be made according to of SECTION 14: Transport inform 14.1 UN number or ID number ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG IATA	usehold garbage. Do not allow product to reach sewage system. fficial regulations. fficial regulations. Nation UN1950 1950 AEROSOLS AEROSOLS
Recommendation Must not be disposed together with how Uncleaned packaging: Recommendation: Disposal must be made according to of Disposal must be made according to of SECTION 14: Transport inform 14.1 UN number or ID number	usehold garbage. Do not allow product to reach sewage system. fficial regulations. fficial regulations. Nation UN1950 1950 AEROSOLS AEROSOLS
Recommendation Must not be disposed together with how Uncleaned packaging: Recommendation: Disposal must be made according to of Disposal must be made according to of SECTION 14: Transport inform 14.1 UN number or ID number ADR, IMDG, IATA 14.2 UN proper shipping name ADR IMDG IATA 14.3 Transport hazard class(es)	usehold garbage. Do not allow product to reach sewage system. fficial regulations. fficial regulations. Nation UN1950 1950 AEROSOLS AEROSOLS

Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE AIRCO REFRESHER LAVENDER 150 ML

	(Contd. of page
Label	2.1
IMDG, IATA	
Class	2.1 Gases.
Label	2.1
14.4 Packing group ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code):	-
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1
	litre: Category A. For AEROSOLS with a capacity about litre: Category P. For WASTE AEROSOLS: Category
	1 litre: Category B. For WASTE AEROSOLS: Category
Same the Cale	<i>C</i> , <i>Clear of living quarters</i> .
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre:
	Segregation as for class 9. Stow "separated from" class
	except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class
14.7 Maritime transport in bulk according to IM	0
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P3a FLAMMABLE AEROSOLS

 \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

(Contd. on page 8)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

Trade name: MOTIP CAR CARE AIRCO REFRESHER LAVENDER 150 ML

(Contd. of page 7)

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.
H226 Flammable liquid and vapour.
H280 Contains gas under pressure; may explode if heated.
H336 May cause drowsiness or dizziness.

· Department issuing SDS: R&D legislation and regulatory advisor

· *Contact:* e-mail: sds-nl@european-aerosols.com

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases - Category 1A Aerosol 1: Aerosols - Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Flam. Liq. 3: Flammable liquids - Category 3 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3