

Page 1/9

*

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.02.2023

Version number 9 (replaces version 8)

Revision: 14.02.2023

1.1 Product ide	ntifier
Trade name: <u>M</u>	otip Hardener
1.2 Relevant ide No further relev Sector of Use SU21 Consum SU22 Professi Product categor Process categor	Salt, 000077alt, 000078alt, 000153alt, 496718alt, 496701alt, 894923alt, 894930alt entified uses of the substance or mixture and uses advised against eant information available. er uses: Private households / general public / consumers onal uses: Public domain (administration, education, entertainment, services, craftsmen) ry PC9b Fillers, putties, plasters, modelling clay ry PROC10 Roller application or brushing he substance / the mixture Hardening agent/ Curing agent
1.3 Details of th Manufacturer/S European Aeros Kurt Vogelsang D-74855 Haβm Tel.: +49 (0) 62	ne supplier of the safety data sheet Supplier: Sols GmbH* Strasse 6 ersheim
*Formerly knov	vn as Motip Dupli GmbH
Tel.:+49 6266-7 Fax +49 6266- (Mo - Th 08:00 UK: Public emergen	75-362 am - 04:00 pm, Fr 08:00 am - 00:30 pm)
	childs have been poisened: 01 809 2166 (8:00 am - 10:00 pm, 7 days) care professionals: 01 809 2566 (24 h / 7 days)
Tox Info Suisse	145 (24-h-emergency number)
SECTION 2 :	Hazards identification
	on of the substance or mixture ccording to Regulation (EC) No 1272/2008
flame	
Org. Perox. E	H242 Heating may cause a fire.
envir	onment
Aquatic Acute 1	H400 Very toxic to aquatic life.

Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.02.2023

Version number 9 (replaces version 8)

Revision: 14.02.2023

Trade name: Motip Hardener



SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 94-36-0	dibenzoyl peroxide	25-<50%
EINECS: 202-327-6	🔗 🚯 Org. Perox. B, H241	
Index number: 617-008-00-0	Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410	
Reg.nr.: 01-2119511472-50	(<i>M</i> =10)	
	Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 131-11-3	dimethyl phthalate	25-<50%
EINECS: 205-011-6	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119437229-36		
CAS: 107-21-1	ethanediol	5-<10%
EINECS: 203-473-3	🚸 STOT RE 2, H373	
Index number: 603-027-00-1	() Acute Tox. 4, H302	
	(Co	ontd. on page 3)

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.02.2023

Version number 9 (replaces version 8)

Revision: 14.02.2023

Trade name: Motip Hardener

(Contd. of page 2)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available. No further relevant information available.
- · 5.3 Advice for firefighters -
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources.
- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility:
- Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.
- Further information about storage conditions: Keep container tightly sealed.

• Storage class: 5.2

(Contd. on page 4)

Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Version number 9 (replaces version 8)

Revision: 14.02.2023

(Contd. of page 3)

Trade name: Motip Hardener

Printing date 14.02.2023

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- 131-11-3 dimethyl phthalate
- WEL Short-term value: 10 mg/m³ Long-term value: 5 mg/m³

107-21-1 ethanediol

- WEL Short-term value: 104** mg/m³, 40** ppm Long-term value: 10* 52** mg/m³, 20** ppm Sk *particulate **vapour
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Avoid contact with the eyes.
- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves

· Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• Penetration time of glove material

Butyl rubber gloves with a thickness of 0.4 mm are resistant to: Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min Xylene: 42 min

Butyl rubber gloves with a thickness of 0.4 mm are solvent resistant for 42-480 minutes. As protective measure, we recommend that users and responsible persons for work safety assume solvent resistance length of 42 minutes. Considering the data in section 3 of this SDS, one can assume longer resistance length in particular cases.

· Eye/face protection



Tightly sealed goggles

(Contd. on page 5)

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.02.2023

Version number 9 (replaces version 8)

Revision: 14.02.2023

Trade name: Motip Hardener

(Contd. of page 4)

9.1 Information on basic physical and chemical p General Information	roperties
Physical state	Fluid
Colour:	Pink
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	100 °C (212 °F) (7732-18-5 water, distilled,
	conductivity or of similar purity)
Flammability	May cause fire.
Lower and upper explosion limit	
Lower:	Not determined.
	Not determined.
Upper: Elash point:	
Flash point:	Not applicable.
Ignition temperature:	410 °C (770 °F)
Decomposition temperature:	50 °C (122 °F) (SADT)
pH at 20 °C (68 °F)	7
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
	Not misciple of afficial to mix. Not determined.
Partition coefficient n-octanol/water (log value) Variation coefficient n -octanol/water (log value)	
Vapour pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	23 hPa (17.3 mm Hg) (7732-18-5 water, distilled,
	conductivity or of similar purity)
Density and/or relative density	
Density at 20 °C (68 °F):	1.1 g/cm ³ (9.2 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Pasty
Important information on protection of health an	
environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
	rounei uoes noi preseni un exprosion nuzuru.
Solvent content:	0.0.9/
Organic solvents:	9.0%
Water:	11.0 %
VOC (EC)	%
	112.6 g/l
VOC-EU%	9.00 %
Solids content:	55.0 %
Change in condition	
0	Not determined.
Evaporation rate	ivoi ueieimineu.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.02.2023

Version number 9 (replaces version 8)

Revision: 14.02.2023

Trade name: Motip Hardener

		(Contd. of page 5)
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
• Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flam	nable	
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Heating may cause a fire.	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

107-21-1 ethanediol

Oral LD50 7712 mg/kg (rat)

- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- \cdot 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Remark: Very toxic for fish
- \cdot Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

GE

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.02.2023

Version number 9 (*replaces version* 8)

Revision: 14.02.2023

(Contd. of page 6)

Trade name: Motip Hardener

Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Disposal must be made according to official regulations.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3108
· 14.2 UN proper shipping name · ADR	3108 ORGANIC PEROXIDE TYPE E, SOLID (dibenz peroxide), ENVIRONMENTALLY HAZARDOUS
· IMDG, IATA	ORGANIC PEROXIDE TYPE E, SOLID (dibenzoyl peroxide)
· 14.3 Transport hazard class(es)	
·ADR	
· Class · Label	5.2 (P1) Organic peroxides. 5.2
· IMDG, IATA	
· Class · Label	5.2 Organic peroxides. 5.2
· 14.4 Packing group	
· ADR, IMDG, IATA	not regulated
 14.5 Environmental hazards: Marine pollutant: 	Yes
· Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Organic peroxides.
· Hazard identification number (Kemler code):	-
· EMS Number:	F-J,S-R
· Stowage Category	D
· Stowage Code	SW1 Protected from sources of heat.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.02.2023

Version number 9 (replaces version 8)

Revision: 14.02.2023

Trade name: Motip Hardener

	(Contd. of page
· Segregation Code	SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis. SG72 See 7.2.6.3.2.
· 14.7 Maritime transport in bulk according instruments	to IMO Not applicable.
Transport/Additional information:	
ADR	
· Limited quantities (LQ)	500 g
· Excepted quantities (\widetilde{EQ})	Code: E0
· · · · · · · · · · · · · · · · · · ·	Not permitted as Excepted Quantity
· Transport category	2
• Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	500 g
· Excepted quantities $(\widetilde{E}Q)$	Code: E0
	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 3108 ORGANIC PEROXIDE TYPE E, SOLID (DIBENZOYL PEROXIDE), 5.2, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

- E1 Hazardous to the Aquatic Environment
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H241 Heating may cause a fire or explosion.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

- International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.02.2023

Version number 9 (replaces version 8)

Revision: 14.02.2023

Trade name: Motip Hardener

ELINCS: European List of Notified Chemical Substances	(Contd. of page 8)
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Org. Perox. B: Organic peroxides – Type B	
Org. Perox. E: Organic peroxides – Type E/F	
Acute Tox. 4: Acute toxicity – Category 4	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
SKII SERS. 1. SKII SERSINSULOI – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Acute 1. Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
• * Data compared to the previous version altered.	

GB