

Safety data sheet according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Revision: 16.02.2024

1 Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier CODE 3073 · Trade name: SWIN STANDARD-ZUSATZ • Article number: SW-5113-* · UFI: 3Y30-F0HU-K00E-83V4 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • Product category PC9a Coatings and paints, thinners, paint removers · Process category PROC7 Industrial spraying PROC11 Non industrial spraying • Environmental release category ERC8c Widespread use leading to inclusion into/onto article (indoor) · Application of the substance / the mixture Coating material · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Winkelmann GmbH & Co. KG Auf dem Bruemmer 8 D-44149 Dortmund postmaster@winkelmann.de · Further information obtainable from: Laboratory department · 1.4 Emergency telephone number: Giftinformationszentrum Göttingen (GIZ-Nord) Phone: +49 (0)551-19240 **2** Hazards identification · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 3 H226 Flammable liquid and vapour. GHS08 health hazard Asp. Tox. 1 *H304* May be fatal if swallowed and enters airways. GHS09 environment Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. GHS07 STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2) EU



Safety data sheet according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Trade name: SWIN STANDARD-ZUSATZ

Hazard p	ictograms (Contd. of page 1)
GHS02	GHS07 GHS08 GHS09
Signal wo	ord Danger
Hazard-d	etermining components of labelling:
Hydrocar	bons, C9, aromatics
Hazard si	tatements
H226	Flammable liquid and vapour.
H335-H3	36 May cause respiratory irritation. May cause drowsiness or dizziness.
H304	May be fatal if swallowed and enters airways.
H411	Toxic to aquatic life with long lasting effects.
Precautio	nary statements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P243	Take action to prevent static discharges.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P3	61+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P501	Dispose of contents/container in accordance with local/regional/national/internationa regulations.
2.3 Other	hazards -
Results of	f PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

[•] Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components:		
CAS: 108-65-6	2-methoxy-1-methylethyl acetate	50-100%
EINECS: 203-603-9	🚸 Flam. Liq. 3, H226	
Reg.nr.: 01-2119475791-29-XXXX		
EC number: 918-668-5	Hydrocarbons, C9, aromatics	25-50%
Reg.nr.: 01-2119455851-35-XXXX	♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ STOT SE 3, H335-H336	
CAS: 123-86-4	n-butyl acetate	2.5-10%
EINECS: 204-658-1	🚸 Flam. Liq. 3, H226; 🚸 STOT SE 3, H336, EUH066	
Reg.nr.: 01-2119485493-29-XXXX		
• Additional information: For the wording of the listed hazard phrases refer to section 16.		

4 First aid measures

- 4.1 Description of first aid measures
- · General information: Personal protection for the First Aider.
- · After inhalation:
- Supply fresh air.



Safety data sheet according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Revision: 16.02.2024

Trade name: SWIN STANDARD-ZUSATZ

Seek medical treatment in case of complaints.

- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- +4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

7 Handling and storage

- · 7.1 Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Restrict the quantity stored at the work place.
- Information about fire and explosion protection: Fumes can combine with air to form an explosive mixture. Flammable gas-air mixtures may form in empty receptacles. Keep ignition sources away - Do not smoke. Use explosion-proof apparatus / fittings and spark-proof tools. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor.
- Suitable material for receptacles and pipes: steel or stainless steel.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

(Contd. of page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Revision: 16.02.2024

Trade name: SWIN STANDARD-ZUSATZ

(Contd. of page 3)

8.1 Co	ntrol parameters
Ingred	lients with limit values that require monitoring at the workplace:
108-65	5-6 2-methoxy-1-methylethyl acetate
IOELV	/ Short-term value: 550 mg/m³, 100 ppm
	Long-term value: 275 mg/m ³ , 50 ppm
	Skin
	5-4 n-butyl acetate
IOELV	⁷ Short-term value: 723 mg/m ³ , 150 ppm
	Long-term value: 241 mg/m ³ , 50 ppm
Additie	onal information: The lists valid during the making were used as basis.
8.2 Ex	posure controls
	priate engineering controls No further data; see section 7.
	lual protection measures, such as personal protective equipment
	al protective and hygienic measures:
	tway from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing
	hands before breaks and at the end of work.
	t inhale gases / fumes / aerosols.
	contact with the eyes and skin.
Respir	atory protection:
	itable respiratory protective device in case of insufficient ventilation.
	e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposu
	<i>f-contained respiratory protective device.</i>
Filter	
	protection use chemical-protective gloves with CE-labelling of category III.
Only a	se enemieur protective gloves with CD tubetting of eulegoly III.
nu fut	
Chink -	Protective gloves
Preven	tive skin protection by use of skin-protecting agents is recommended.
	ial of gloves
	lection of the suitable gloves does not only depend on the material, but also on further marks of qual
and va	uries from manufacturer to manufacturer. As the product is a preparation of several substances, t
	ince of the glove material can not be exactly calculated in advance and has therefore to be check
	o the application.
	tection from splashes gloves made of the following materials are suitable: rubber (Ansell Sol-Vex®)
	mended thickness of the material: ≥ 0.4 mm
	ation time of glove material
	for the permeation: Level ≤ 1
The ex	act break through time has to be found out by the manufacturer of the protective gloves and has to
observ	
	e permanent contact => 480 minutes gloves made of the following materials are suitable:
	-laminatet film (Ansell Barrier®)
∟ye/ja	ce protection
	Tightly sealed goggles

Protective clothing, anti-static (TYVEK® CLASSIC PLUS)

(Contd. on page 5)

EU



Printing date 16.02.2024

Safety data sheet according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Revision: 16.02.2024

(Contd. of page 4)

Trade name: SWIN STANDARD-ZUSATZ

Safety shoes/boots, antstatic

Physical and chemical properties	
9.1 Information on basic physical and chemical p	roperties
General Information	
Physical state	Fluid
Colour:	Colourless
Odour:	Fruit-like
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	124 °C
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	0.6 Vol %
Upper:	10.8 Vol %
Flash point:	23 - 60 °C
Auto-ignition temperature:	225 °C
Decomposition temperature:	Not determined.
pH-value	Not applicable.
Viscosity:	
Kinematic viscosity at 20 °C	12 s (DIN 53211/4)
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	3.4 hPa
Density and/or relative density	
Relative density	Not determined.
Density	1101 401011111104.
Vapour density	Not determined.
0.2 Other information	
9.2 Other information Appearance:	
Appearance: Form:	Fluid
Important information on protection of health an	a
environment, and on safety.	Duodust is not selfiquiting
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
Change in soudition	explosive air/vapour mixtures are possible.
Change in condition	Not determined.
Evaporation rate	ivoi ueierminea.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
	r otu
Substances and mixtures, which emit flammable	Void
gases in contact with water	r uu



Safety data sheet according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Revision: 16.02.2024

Trade name: SWIN STANDARD-ZUSATZ

		(Contd. of page 5)
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

10 Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

 \cdot 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

Hydrocarbons, C9, aromatics

Oral	LD50	>6,800 mg/kg (rat)
Dermal	LD50	>6,800 mg/kg (rat) >3,400 mg/kg (rab)
Inhalative	LC50/4 h	>10.2 mg/l (rat)

• *Skin corrosion/irritation Based on available data, the classification criteria are not met.*

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard May be fatal if swallowed and enters airways.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Remark: Toxic for fish

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Revision: 16.02.2024

(Contd. of page 6)

Trade name: SWIN STANDARD-ZUSATZ

• Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Also poisonous for fish and plankton in water bodies.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

Luropeun	European waste catalogue	
	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS	
08 01 00	wastes from MFSU and removal of paint and varnish	
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	

· Uncleaned packaging:

15 00 00: WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED

- 15 01 00: packaging (including separately collected municipal packaging waste)
- 15 01 10*: packaging containing residues of or contaminated by dangerous substances
- **Recommendation:** Disposal must be made according to official regulations.

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1263
	0111205
· 14.2 UN proper shipping name	
ADR	1263 PAINT RELATED MATERIA ENVIRONMENTALLY HAZARDOUS
· IMDG	PAINT RELATED MATERIAL, MARINE POLLUTANI
· IATA	PAINT RELATED MATERIAL, MARINE FOLLOTANT
· 14.3 Transport hazard class(es)	
· Class	3 Flammable liquids.
· Label	3
· IATA	
· IATA	3 Flammable liquids.

EU



Safety data sheet according to 1907/2006/EC, Article 31

Version number 3 (replaces version 2)

Revision: 16.02.2024

Trade name: SWIN STANDARD-ZUSATZ

	(Contd. of page 7
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances Hydocarbons, C9-C15, Aromatics
· Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Flammable liquids.
• Hazard identification number (Kemler code):	30
· EMS Number:	<i>F-E,<u>S-E</u></i>
· Stowage Category	A
\cdot 14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
• Tunnel restriction code	D/E
·IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1263 PAINT RELATED MATERIAL, 3, III ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- E2 Hazardous to the Aquatic Environment
- P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 9)

EU



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.02.2024

Version number 3 (replaces version 2)

Revision: 16.02.2024

Trade name: SWIN STANDARD-ZUSATZ

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Information about limitation of use:

- Employment restrictions concerning pregnant and lactating women must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

Flammable liquid and vapour. H226

H304 May be fatal if swallowed and enters airways.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects. H411

EUH066 Repeated exposure may cause skin dryness or cracking.

· Department issuing SDS: Laboratory department

· Contact: Mr Irmak

Tel. +49 (0) 231 917040-30

• Date of previous version: 16.02.2024

- Version number of previous version: 2
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

(Contd. of page 8)